# Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 128
15 February to 15 March 1979

ACADEMIC PRESS
London New York San Francisco

H301

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

## CONTENTS OF VOLUME 128

### Number 1, 15 February 1979


Bauer, R. S. and Berliner, L. J., Spin Label Investigations of α-Chymotrypsin Active Site Structure in Single Crystals . . . . . 1

Rossi, J. J., Ross, W., Egan, J., Lipman, D. J. and Landy, A., Structural Organization of *Escherichia coli* $tRNA^{Tyr}$ Gene Clusters in Four Different Transducing Bacteriophages . . . . . 21

McLachlan, A. D., Gene Duplications in the Structural Evolution of Chymotrypsin . . . . . 49

Appendix: Least Squares Fitting of Two Structures . . . . . 74

Ono, B-I., Stewart, J. W. and Sherman, F., Yeast UAA Suppressors Effective in $\psi^+$ Strains Serine-inserting Suppressors . . . . . 81

Letters to the Editor

Subirana, J. A., Lloveras, J., Lombardero, M. and Viñuela, E., X-ray Scattering of the Non-isometric *Bacillus subtilis* Phage $\phi$29 . . . 101

Palmer, E., Wilhelm, J. M. and Sherman, F., Variation of Phenotypic Suppression Due to the $\psi^+$ and $\psi^-$ Extrachromosomal Determinants in Yeast . . . . . 107


### Number 2, 25 February 1979


Marston, S. B., Tregear, R. T., Rodger, C. D. and Clarke, M. L., Coupling Between the Enzymatic Site of Myosin and the Mechanical Output of Muscle 111

Lazdunski, A., Murgier, M. and Lazdunski, C., Phospholipid Synthesis-dependent Activity of Aminopeptidase N in Intact Cells of *Escherichia coli* 127

Bachi, B., Reiser, J. and Pirrotta, V., Methylation and Cleavage Sequences of the *Eco*P1 Restriction-modification Enzyme . . . . . 143

Nomoto, A., Lee, Y. F., Babich, A., Jacobson, A., Dunn, J. J. and Wimmer, E., Restricted Fragmentation of Poliovirus Type 1, 2 and 3 RNAs by Ribonuclease III . . . . . 165

Nomoto, A., Jacobson, A., Lee, Y. F., Dunn, J. and Wimmer, E., Defective Interfering Particles of Poliovirus: Mapping of the Deletion and Evidence that the Deletions in the Genomes of DI (1), (2) and (3) are Located in the Same Region . . . . . 179

Shearman, C. W. and Loeb, L. A., Effects of Depurination on the Fidelity of DNA Synthesis . . . . . 197

COHEN, J. E., JASNY, B. R. and TAMM, I., Spatial Distribution of Initiation Sites for Mammalian DNA Replication: A Statistical Analysis . . 219
Appendix . . . . . 238

TSCHOPP, J., ARISAKA, F., VAN DRIEL, R. and ENGEL, J., Purification, Characterization and Reassembly of the Bacteriophage T4D Tail Sheath Protein P18 . . . . . 247

LETTER TO THE EDITOR
WADE-JARDETZKY, N., BRAY, R. P., CONOVER, W. W., JARDETZKY, O., GEISLER, N. and WEBER, K., Differential Mobility of the N-Terminal Headpiece in the *lac*-Repressor Protein . . . . . 259

NUMBER 3, 5 MARCH 1979

OLIVERA, B. M., MANLAPAZ-RAMOS, P., WARNER, H. R. and DUNCAN, B. K., DNA Intermediates at the *Escherichia coli* Replication Fork II. Studies using *dut* and *ung* Mutants *in Vitro* . . . . . 265

DUNN, R., HAYASHI, S., GILLAM, I. C., DELANEY, A. D., TENER, G. M., GRIGLIATTI, T. A., KAUFMAN, T. C. and SUZUKI, D. T., Genes Coding for Valine Transfer Ribonucleic Acid-3b in *Drosophila melanogaster* . . 277

WELLAUER, P. K. and DAWID, I. B., Isolation and Sequence Organization of Human Ribosomal DNA . . . . . 289

RAVETCH, J. V., HORIUCHI, K. and ZINDER, N. D., DNA Sequence Analysis of the Defective Interfering Particles of Bacteriophage f1 . . . . . 305

KLYMKOWSKY, M. W. and STROUD, R. M., Immunospecific Identification and Three-dimensional Structure of a Membrane-bound Acetylcholine Receptor from *Torpedo californica* . . . . . 319

HOFRICHTER, J., Ligand Binding and the Gelation of Sickle Cell Hemoglobin 335
Appendix: Linear Dichroism of Hemoglobin S Copolymers . . . 363

PALATNIK, C. M., STORTI, R. V. and JACOBSON, A., Fractionation and Functional Analysis of Newly Synthesized and Decaying Messenger RNAs from Vegetative Cells of *Dictyostelium discoideum* . . . . . 371

MINYAT, E. E., IVANOV, V. I., KRITZYN, A. M., MINCHENKOVA, L. E. and SCHYOLKINA, A. K., Spermine and Spermidine-induced $\overline{B}$ to $\overline{A}$ Transition of DNA in Solution . . . . . 397

WASYLYK, B., THEVENIN, G., OUDET, P. and CHAMBON, P., Transcription of *in Vitro* Assembled Chromatin by *Escherichia coli* RNA Polymerase . 411

ERRATA . . . . . 441

ANNOUNCEMENTS . . . . . 443

NUMBER 4, 15 MARCH 1979

PEDERSON, T. and BHORJEE, J. S., Evidence for a Role of RNA in Eukaryotic Chromosome Structure. Metabolically Stable, Small Nuclear RNA Species are Covalently Linked to Chromosomal DNA in HeLa Cells . . . 451

TANIGUCHI, T. and WEISSMANN, C., *Escherichia coli* Ribosomes Bind to Non-Initiator Sites of Qβ RNA in the Absence of Formylmethionyl-tRNA . 481

KAHN, M. and HANAWALT, P., Size Distribution of DNA Replicative Intermediates in Bacteriophage P4 and in *Escherichia coli* . . . . . 501

BRUNEL, F. and DAVISON, J., Restriction Insensitivity in Bacteriophage T5 III. Characterisation of *Eco*RI-sensitive Mutants by Restriction Analysis 527

BISHOP, J. O., A DNA Sequence Cleaved by Restriction Endonuclease R.*Eco*RI in Only One Strand . . . . . 545

LAM, M. K. T., CHANGCHIEN, L-M. and CRAVEN, G. R., Evidence that *Escherichia coli* 30 S Ribosomal Subunit Populations are Conformationally Heterogeneous . . . . . 561

ARRAND, J. R. and ROBERTS, R. J., The Nucleotide Sequences at the Termini of Adenovirus-2 DNA . . . . . 577

DEVOS, R., VAN EMMELO, J., CONTRERAS, R. and FIERS, W., Construction and Characterization of a Plasmid Containing a Nearly Full-size DNA Copy of Bacteriophage MS2 RNA . . . . . 595

DEVOS, R., CONTRERAS, R., VAN EMMELO, J. and FIERS, W., Identification of the Translocatable Element IS1 in a Molecular Chimera Constructed with Plasmid pBR322 DNA into which a Bacteriophage MS2 DNA Copy was Inserted by the Poly(dA) · Poly(dT) Linker Method . . . . 621

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1979_128_index-contents

# Index to Volume 128


Acetylcholine receptor, membrane-bound, from *Torpedo californica*, immunospecific identification and three-dimensional structure, 319
Active site structure in single crystals of $\alpha$-chymotrypsin, spin label investigations, 1
Adenovirus-2 DNA, nucleotide sequences at the termini, 577
Aminopeptidase N, phospholipid synthesis-dependent activity in intact cells of *Escherichia coli*, 127
Arisaka, F. (see also Tschopp, J.), 247
Arrand, J. R. & Roberts, R. J., The nucleotide sequences at the termini of adenovirus-2 DNA, 577

$\bar{B}$ to $\bar{A}$ transition, spermine and spermidine-induced, of DNA in solution, 397
Babich, A. (see also Nomoto, A.), 165
Bachi, B., Reiser, J. & Pirrotta, V., Methylation and cleavage sequences of the *Eco*P1 restriction-modification enzyme, 143
*Bacillus subtilis* phage $\phi$29, non-isometric, X-ray scattering, 101
Bacteriophage f1 defective interfering particles, DNA sequence analysis, 305
— MS2 DNA copy is inserted by the poly(dA)·poly(dT) linker method into plasmid pBR322 DNA; identification of the translocatable element IS1 in a molecular chimera constructed with this plasmid, 621
— — RNA, construction and characterization of a plasmid containing a nearly full-size DNA copy, 595
— P4 and *Escherichia coli*, size distribution of DNA replicative intermediates, 501
— $\phi$29, non-isometric, X-ray scattering, 101
— T4D tail sheath protein P18, purification, characterization and reassembly, 247
— T5 restriction insensitivity; characterization of *Eco*RI-sensitive mutants by restriction analysis, 527
Bacteriophages, transducing, four different, used in study of the structural organization of *Escherichia coli* $tRNA^{Tyr}$ gene clusters, 21
Bauer, R. S. & Berliner, L. J., Spin label investigations of $\alpha$-chymotrypsin active site structure in single crystals, 1
Berliner, L. J. (see also Bauer, R. S.), 1
Bhorjee, J. S. (see also Pederson, T.), 451
Bishop, J. O., A DNA sequence cleaved by restriction endonuclease R.*Eco*RI in only one strand 545
Bray, R. P. (see also Wade-Jardetzky, N.), 259
Brunel, F. & Davison, J., Restriction insensitivity in bacteriophage T5 III. Characterization of *Eco*RI-sensitive mutants by restriction analysis, 527

Chambon, P. (see also Wasylyk, B.), 411
Changchien, L-M. (see also Lam, M. K. T.), 561
Chromatin, *in vitro* assembled, transcription by *Escherichia coli* RNA polymerase, 411
Chromosome structure, eukaryotic, evidence for a role of RNA; metabolically stable, small nuclear RNA species are covalently linked to chromosomal DNA in HeLa cells, 451
Chymotrypsin, gene duplications in its structural evolution, 49
$\alpha$ — single crystals, spin label investigations of active site structure, 1
Clarke, M. L. (see also Marston, S. B.), 111
Cleavage and methylation sequences of the *Eco*P1 restriction-modification enzyme, 143
Cohen, J. E., Jasny, B. R. & Tamm, I., Spatial distribution of initiation sites for mammalian DNA replication: a statistical analysis, 219
Conformational heterogeneity of *Escherichia coli* 30 S ribosomal subunit populations, 561
Conover, W. W. (see also Wade-Jardetzky, N.), 259
Contreras, R. (see also Devos, R.), 595, 621
Craven, G. R. (see also Lam, M. K. T.), 561

Davison, J. (see also Brunel, F.), 527
Dawid, I. B. (see also Wellauer, P. K.), 289
Defective interfering particles of bacteriophage f1, DNA sequence analysis, 305

Defective interfering partices of poliovirus: mapping of the deletion and evidence that the deletions in the genomes of DI(1), (2) and (3) are located in the same region, 179
Delaney, A. D. (see also Dunn, R.), 277
Deletion mapping for three defective interfering particles of poliovirus; evidence that the deletions of genomes of DI(1), (2) and (3) are located in the same region, 179
DNA, chromosomal, in HeLa cells is covalently linked to metabolically stable, small nuclear RNA species; evidence for a role of RNA in eukaryotic chromosome structure, 451
— of adenovirus-2, the nucleotide sequences at the termini, 577
— copy of bacteriophage MS2 is inserted by the poly(dA)·poly(dT) linker method into plasmid pBR322 DNA; identification of the translocatable element IS1 in a molecular chimera constructed with this plasmid, 621
— —, nearly full size, of bacteriophage MS2 RNA, construction and characterization of its containing plasmid, 595
— intermediates at the *Escherichia coli* replication fork: studies using *dut* and *ung* mutants *in vitro*, 265
— replication, mammalian, a statistical analysis of spatial distribution of initiation sites, 219
— replicative intermediates, size distribution in bacteriophage P4 and in *Escherichia coli*, 501
—, ribosomal, human, isolation and sequence organization, 289
— sequence analysis of the defective interfering particles of bacteriophage f1, 305
— — cleaved by restriction endonuclease R.*Eco*RI in only one strand, 545
—, spermine and spermidine-induced B to $\overline{A}$ transition in solution, 397
— synthesis, effects of depurination on its fidelity, 197
Depurination, effects on the fidelity of DNA synthesis, 197
Devos, R., Contreras, R., van Emmelo, J. & Fiers, W., Identification of the translocatable element IS1 in a molecular chimera constructed with plasmid pBR322 DNA into which a bacteriophage MS2 DNA copy was inserted by the poly(dA)·poly(dT) linker method, 621
—, van Emmelo, J., Contreras, R. & Fiers, W., Construction and characterization of a plasmid containing a nearly full-size DNA copy of bacteriophage MS2 RNA, 595
Dichroism, linear, of hemoglobin S copolymers, 363
*Dictyostelium discoideum*, fractionation and functional analysis of newly synthesized and decaying messenger RNAs from vegetative cells, 371
*Drosophila melanogaster*, genes coding for valine transfer ribonucleic acid-3b, 277
Duncan, B. K. (see also Olivera, B. M.), 265
Dunn, J. J. (see also Nomoto, A.), 165, 179
—, R., Hayashi, S., Gillam, I. C., Delaney, A. D., Tener, G. M., Grigliatti, T. A., Kaufman, T. C. & Suzuki, D. T., Genes coding for valine transfer ribonucleic acid-3b in *Drosophila melanogaster*, 277
*dut* and *ung*, studies *in vitro* of DNA intermediates at the *Escherichia coli* replication fork, 265

*Eco*P1 restriction-modification enzyme, methylation and cleavage sequences, 143
*Eco*RI cleaves a DNA sequence in only one strand, 545
— -sensitive mutants, characterization by restriction analysis; restriction insensitivity in bacteriophage T5, 527
Egan, J. (see also Rossi, J. J.), 21
Engel, J. (see also Tschopp, J.), 247
*Escherichia coli* and bacteriophage P4, size distribution of DNA replicative intermediates, 501
— —, phospholipid synthesis-dependent activity of aminopeptidase N in intact cells, 127
— — replication fork, studies of DNA intermediates using *dut* and *ung* mutants *in vitro*, 265
— — 30 S ribosomal subunit populations, evidence for conformational heterogeneity, 561
— — ribosomes bind to non-initiator sites of Q$\beta$ RNA in the absence of formylmethionyl-tRNA, 481
— — RNA polymerase, transcription of *in vitro* assembled chromatin, 411
— — $tRNA^{Tyr}$ gene clusters, structural organization in four different transducing bacteriophages, 21
Evolution, structural, of chymotrypsin, and gene duplications, 49

f1 (see also Bacteriophage), 305
Fidelity of DNA synthesis, effects of depurination, 197
Fiers, W. (see also Devos, R.), 595, 621
Formylmethionyl-tRNA, in its absence *Escherichia coli* ribosomes bind to non-initiator sites of Q$\beta$ RNA, 481
Fractionation and functional analysis of newly synthesized and decaying messenger RNAs from vegetative cells of *Dictyostelium discoideum*, 371
Fragmentation, restricted, of poliovirus type 1, 2 and 3 RNAs by ribonuclease III, 165

Geisler, N. (see also Wade-Jardetzky, N.), 259
Gelation of sickle cell hemoglobin, and ligand binding, 335
Gene clusters, *Escherichia coli* $tRNA^{Tyr}$, structural organization in four different transducing bacteriophages, 21
— duplications in the structural evolution of chymotrypsin, 49
Genes coding for valine transfer ribonucleic acid-3b in *Drosophila melanogaster*, 277
Gillam, I. C. (see also Dunn, R.), 277
Grigliatti, T. A. (see also Dunn, R.), 277

Hanawalt, P. (see also Kahn, M.), 501
Hayashi, S. (see also Dunn, R.), 277
HeLa cells, metabolically stable, small nuclear RNA species are covalently linked to chromosomal DNA; evidence for a role of RNA in eukaryotic chromosome structure, 451
Hemoglobin S copolymers, linear dichroism, 363
—, sickle cell, gelation, and ligand binding, 335
Hofrichter, J., Ligand binding and the gelation of sickle cell hemoglobin, 335
Horiuchi, K. (see also Ravetch, J. V.), 305
Human ribosomal DNA, isolation and sequence organization, 289

Immunospecific identification and three-dimensional structure of a membrane-bound acetylcholine receptor from *Torpedo californica*, 319
Initiation sites for mammalian DNA replication, statistical analysis of spatial distribution, 219
Intermediates, DNA, at the *Escherichia coli* replication fork: studies using *dut* and *ung* mutants *in vitro*, 265
—, — replicative, size distribution in bacteriophage P4 and in *Escherichia coli*, 501
IS1, identification in a molecular chimera constructed with plasmid pBR322 DNA into which a bacteriophage MS2 DNA copy was inserted by the poly(dA)·poly(dT) linker method, 621
Ivanov, V. I. (see also Minyat, E. E.), 397

Jacobson, A. (see also Nomoto, A.), 165, 179
—, (see also Palatnik, C. M.), 371
Jardetzky, O. (see also Wade-Jardetzky, N.), 259
Jasny, B. R. (see also Cohen, J. E.), 219

Kahn, M. & Hanawalt, P., Size distribution of DNA replicative intermediates in bacteriophage P4 and in *Escherichia coli*, 501
Kaufman, T. C. (see also Dunn, R.), 277
Klymkowsky, M. W. & Stroud, R. M., Immunospecific identification and three-dimensional structure of a membrane-bound acetylcholine receptor from *Torpedo californica*, 319
Kritzyn, A. M. (see also Minyat, E. E.), 397

*lac*-repressor protein, differential mobility of the N-terminal headpiece, 259
Lam, M. K. T., Changchien, L-M. & Craven, G. R., Evidence that *Escherichia coli* 30 S ribosomal subunit populations are conformationally heterogeneous, 561
Landy, A. (see also Rossi, J. J.), 21
Lazdunski, A., Murgier, M. & Lazdunski, C., Phospholipid synthesis-dependent activity of aminopeptidase N in intact cells of *Escherichia coli*, 127
—, C. (see also Lazdunski, A.), 127
Least squares fitting of two structures, 74
Lee, Y. F. (see also Nomoto, A.), 165, 179
Ligand binding and the gelation of sickle cell hemoglobin, 335
Lipman, D. J. (see also Rossi, J. J.), 21
Lloveras, J. (see also Subirana, J. A.), 101
Loeb, L. A. (see also Shearman, C. W.), 197
Lombardero, M. (see also Subirana, J. A.), 101

McLachlan, A. D., Gene duplications in the structural evolution of chymotrypsin, 49
Mammalian DNA replication, a statistical analysis of spatial distribution of initiation sites, 219
Manlapaz-Ramos, P. (see also Olivera, B. M.), 265
Marston, S. B., Tregear, R. T., Rodger, C. D. & Clarke, M. L., Coupling between the enzymatic site of myosin and the mechanical output of muscle, 111

Membrane-bound acetylcholine receptor from *Torpedo californica*, immunospecific identification and three-dimensional structure, 319
Messenger RNAs, newly synthesized and decaying, from vegetative cells of *Dictyostelium discoideum*, fractionation and functional analysis, 371
Methylation and cleavage sequences of the *Eco*P1 restriction-modification enzyme, 143
Minchenkova, L. E. (see also Minyat, E. E.), 397
Minyat, E. E., Ivanov, V. I., Kritzyn, A. M., Minchenkova, L. E. & Schyolkina, A. K., Spermine and spermidine-induced $\bar{B}$ to $\bar{A}$ transition of DNA in solution, 397
Mobility, differential, of the N-terminal headpiece in the *lac*-repressor protein, 259
MS2 (see also Bacteriophage), 595, 621
Murgier, M. (see also Lazdunski, A.), 127
Muscle, coupling between the enzymatic site of myosin and the mechanical output, 111
Mutants *dut* and *ung* of *Escherichia coli*, use in studies of DNA intermediates at the replication fork, 265
—, *Eco*RI-sensitive, characterization by restriction analysis; restriction insensitivity in bacteriophage T5, 527
Myosin site, coupling with the mechanical output of muscle, 111

Nomoto, A., Jacobson, A., Lee, Y. F., Dunn, J. & Wimmer, E., Defective interfering particles of poliovirus: mapping of the deletion and evidence that the deletions in the genomes of DI(1), (2) and (3) are located in the same region, 179
—, Lee, Y. F., Babich, A., Jacobson, A., Dunn, J. J. & Wimmer, E., Restricted fragmentation of poliovirus type 1, 2 and 3 RNAs by ribonuclease III, 165
N-terminal headpiece in the *lac*-repressor protein, differential mobility, 259
Nuclear RNA species, small, metabolically stable, are covalently linked to chromosomal DNA in HeLa cells; evidence for a role of RNA in eukaryotic chromosome structure, 451
Nucleotide sequences at the termini of adenovirus-2 DNA, 577

Olivera, B. M., Manlapaz-Ramos, P., Warner, H. R. & Duncan, B. K., DNA intermediates at the *Escherichia coli* replication fork II. Studies using *dut* and *ung* mutants *in vitro*, 265
Ono, B-I., Stewart, J. W. & Sherman, F., Yeast UAA suppressors effective in $\psi^+$ strains serine-inserting suppressors, 81
Oudet, P. (see also Wasylyk), 411

P4 (see also Bacteriophage), 501
P18 protein of bacteriophage T4D tail sheath, purification, characterization and reassembly, 247
Palatnik, C. M., Storti, R. V. & Jacobson, A., Fractionation and functional analysis of newly synthesized and decaying messenger RNAs from vegetative cells of *Dictyostelium discoideum*, 371
Palmer, E., Wilhelm, J. M. & Sherman, F., Variation of phenotypic suppression due to the $\psi^+$ and $\psi^-$ extrachromosomal determinants in yeast, 107
pBR322 DNA, containing a bacteriophage MS2 DNA copy inserted by the poly(dA)·poly(dT) linker method, is used to construct a molecular chimera in which the translocatable element IS1 is identified, 621
Pederson, T. & Bhorjee, J. S., Evidence for a role of RNA in eukaryotic chromosome structure. Metabolically stable, small nuclear RNA species are covalently linked to chromosomal DNA in HeLa cells, 451
Phenotypic suppression variation due to the $\psi^+$ and $\psi^-$ extrachromosomal determinants in yeast, 107
$\phi$29 (see also Bacteriophage), 101
Phospholipid synthesis-dependent activity of aminopeptidase N in intact cells of *Escherichia coli*, 127
Pirrotta, V. (see also Bachi, B.), 143
Plasmid containing a nearly full-size DNA copy of bacteriophage MS2 RNA, construction and characterization, 595
— pBR322 DNA, containing a bacteriophage MS2 DNA copy inserted by the poly(dA)·poly(dT) linker method, is used to contruct a molecular chimera in which the translocatable element IS1 is identified, 621
Poliovirus defective interfering particles, mapping of the deletion and evidence that the deletions in the genomes of DI(1), (2) and (3) are located in the same region, 179
— type 1, 2 and 3 RNAs, restricted fragmentation by ribonuclease III, 165

Poly(dA)·poly(dT) linker method is used to insert a bacteriophage MS2 DNA copy into plasmid pBR322 DNA; identification of the translocatable element IS1 in a molecular chimera constructed with this plasmid, 621
Polymerase for RNA of *Escherichia coli*, transcription of *in vitro* assembled chromatin, 411
Protein, *lac*-repressor, differential mobility of the N-terminal headpiece, 259
— P18 of bacteriophage T4D tail sheath, purification, characterization and reassembly, 247
$\psi^+$ strains of yeast, serine-inserting suppressors, 81
$\psi^+$ and $\psi^-$ extrachromosomal determinants in yeast and the variation of phenotypic suppression, 107

Q$\beta$ RNA non-initiator sites, *Escherichia coli* ribosome binding in the absence of formylmethionyl-tRNA, 481

Ravetch, J. V., Horiuchi, K. & Zinder, N. D., DNA sequence analysis of the defective interfering particles of bacteriophage f1, 305
Reassembly, purification and characterization of the bacteriophage T4D tail sheath protein P18, 247
Reiser, J. (see also Bachi, B.), 143
Replication fork, *Escherichia coli*, studies of DNA intermediates using *dut* and *ung* mutants *in vitro*, 265
— of DNA, mammalian, a statistical analysis of spatial distribution of initiation sites, 219
Restricted fragmentation of poliovirus type 1, 2 and 3 RNAs by ribonuclease III, 165
Restriction endonuclease R.*Eco*RI cleaves a DNA sequence in only one strand, 545
— insensitivity in bacteriophage T5: characterization of *Eco*RI-sensitive mutants by restriction analysis, 527
— -modification enzyme, *Eco*P1, methylation and cleavage sequence, 143
Ribonuclease III and the restricted fragmentation of poliovirus type 1, 2 and 3 RNAs, 165
RNA of bacteriophage MS2, construction and characterization of a plasmid containing a nearly full-size DNA copy, 595
—, evidence for its role in eukaryotic chromosome structure. Metabolically stable, small nuclear RNA species are covalently linked to chromosomal DNA in HeLa cells, 451
—, genes coding for valine transfer ribonucleic acid-3b in *Drosophila melanogaster*, 277
—, messenger, newly synthesized and decaying, from vegetative cells of *Dictyostelium discoideum*, fractionation and functional analysis, 371
— of poliovirus type 1, 2 and 3, restricted fragmentation by ribonuclease III, 165
— polymerase of *Escherichia coli*, transcription of *in vitro* assembled chromatin, 411
—, Q$\beta$, non-initiator sites, *Escherichia coli* ribosome binding in the absence of formylmethionyl-tRNA, 481
— species, nuclear, small, metabolically stable, are covalently linked to chromosomal DNA in HeLa cells; evidence for a role of RNA in eukaryotic chromosome structure, 451
—, structural organization of *Escherichia coli* $tRNA^{Tyr}$ gene clusters in four different transducing bacteriophages, 21
Ribosomal DNA, human, isolation and sequence organization, 289
— 30 S subunit populations of *Escherichia coli*, evidence for conformational heterogeneity, 561
Ribosomes of *Escherichia coli* bind to non-initiator sites of Q$\beta$ RNA in the absence of formylmethionyl-tRNA, 481
Robekts, R. J. (see also Arrand, J. R.), 577
Rodger, C. D. (see also Marston, S. B.), 111
Ross, W. (see also Rossi, J. J.), 21
Rossi, J. J., Ross, W., Egan, J., Lipman, D. J. & Landy, A., Structural organization of *Escherichia coli* $tRNA^{Tyr}$ gene clusters in four different transducing bacteriophages, 21

Schyolkina, A. K. (see also Minyat, E. E.), 397
Sequence analysis of DNA of the defective interfering particles of bacteriophage f1, 305
— of DNA cleaved by restriction endonuclease R.*Eco*RI in only one strand, 545
— organization and isolation of human ribosomal DNA, 289
Sequences, methylation and cleavage, of the *Eco*P1 restriction-modification enzyme, 143
— of nucleotides at the termini of adenovirus-2 DNA, 577
Serine-inserting suppressors, yeast, 81
Shearman, C. W. & Loeb, L. A., Effects of depurination on the fidelity of DNA synthesis, 197
Sherman, F. (see also Ono, B-I.), 81
—, (see also Palmer, E.), 107

Sickle cell hemoglobin gelation, and ligand binding, 335
Size distribution of DNA replicative intermediates in bacteriophage P4 and in *Escherichia coli*, 501
Spermine and spermidine-induced $\bar{B}$ to $\bar{A}$ transition of DNA in solution, 397
Spin label investigations of α-chymotrypsin active site structure in single crystals, 1
Stewart, J. W. (see also Ono, B-I.), 81
Storti, R. V. (see also Palatnik, C. M.), 371
Stroud, R. M. (see also Klymkowsky, M. W.), 319
Structural evolution of chymotrypsin, and gene duplications, 49
— organization of *Escherichia coli* $tRNA^{Tyr}$ gene clusters in four different transducing bacteriophages, 21
Structure, active site, in single crystals of α-chymotrypsin; spin label investigations, 1
— of eukaryotic chromosomes, evidence for a role of RNA; metabolically stable, small nuclear RNA species are covalently linked to chromosomal DNA in HeLa cells, 451
—, three-dimensional, and immunospecific identification of a membrane-bound acetylcholine receptor from *Torpedo californica*, 319
Structures, two, fitting by least squares, 74
Subirana, J. A., Lloveras, J., Lombardero, M. & Viñuela, E., X-ray scattering of the non-isometric *Bacillus subtilis* phage φ29, 101
Suppression, phenotypic, variation due to the $\psi^+$ and $\psi^-$ extrachromosomal determinants in yeast, 107
Suppressors, UAA, effective in yeast $\psi^+$ strains; serine-inserting suppressors, 81
Suzuki, D. T. (see also Dunn, R.), 277
Synthesis of DNA, effects of depurination on its fidelity, 197

T4D (see also Bacteriophage), 247
T5 (see also Bacteriophage), 527
Tail sheath protein P18 of bacteriophage T4D, purification, characterization and reassembly, 247
Tamm, I. (see also Cohen, J. E.), 219
Taniguchi, T. & Weissmann, C., *Escherichia coli* ribosomes bind to non-initiator sites of Qβ RNA in the absence of formylmethionyl-tRNA, 481
Tener, G. M. (see also Dunn, R.), 277
Thevenin, G. (see also Wasylyk, B.), 411
*Torpedo californica*, immunospecific identification and three-dimensional structure of a membrane-bound acetylcholine receptor, 319
Transcription of *in vitro* assembled chromatin by *Escherichia coli* RNA polymerase, 411
Transfer RNA tyrosine gene clusters, structural organization in four different transducing bacteriophages, 21
— RNA-3b, valine, coding genes in *Drosophila melanogaster*, 277
Translocatable element IS1, identification in a molecular chimera constructed with plasmid pBR322 DNA into which a bacteriophage MS2 DNA copy was inserted by the poly(dA)·poly-(dT) linker method, 621
Tregear, R. T. (see also Marston, S. B.), 111
Tschopp, J., Arisaka, F., Van Driel, R. & Engel, J., Purification, characterization and reassembly of the bacteriophage T4D tail sheath protein P18, 247

UAA suppressors effective in yeast $\psi^+$ strains; serine-inserting suppressors, 81
*ung* and *dut* studies *in vitro* of DNA intermediates at the *Escherichia coli* replication fork, 265

Valine transfer RNA-3b, coding genes in *Drosophila melanogaster*, 277
Van Driel, R. (see also Tschopp, J.), 247
— Emmelo, J. (see also Devos, R.), 595, 621
Vegetative cells of *Dictyostelium discoideum*, fractionation and functional analysis of newly synthesized and decaying messenger RNAs, 371
Viñuela, E. (see also Subirana, J. A.), 101

Wade-Jardetzky, N., Bray, R. P., Conover, W. W., Jardetzky, O., Geisler, N. & Weber, K., Differential mobility of the N-terminal headpiece in the *lac*-repressor protein, 259
Warner, H. R. (see also Olivera, B. M.), 265
Wasylyk, B., Thevenin, G., Oudet, P. & Chambon, P., Transcription of *in vitro* assembled chromatin by *Escherichia coli* RNA polymerase, 411
Weber, K. (see also Wade-Jardetzky, N.), 259

Weissmann, C. (see also Taniguchi, T.), 481
Wellauer, P. K. & Dawid, I. B., Isolation and sequence organization of human ribosomal DNA, 289
Wilhelm, J. M. (see also Palmer, E.), 107
Wimmer, E. (see also Nomoto, A.), 165, 179

X-ray scattering of the non-isometric *Bacillus subtilis* phage $\phi$29, 101

Yeast UAA suppressors effective in $\psi^+$ strains serine-inserting suppressors, 81
—, variation of phenotypic suppression due to the $\psi^+$ and $\psi^-$ extrachromosomal determinants, 107

Zinder, N. D. (see also Ravetch, J. V.), 305